

Contents

Foreword	xiii
Conference Organization	xv
Conference Chairman's Address	xvii
<i>Plenary Lectures</i>	
Formation of phases and microstructures by rapid solidification processing: an update H. Jones (Sheffield, UK)	1
Recent progress in amorphous metallic materials in Japan T. Masumoto (Sendai, Japan)	8
Structure studies by X-ray and neutron diffraction: how accurate are they? T. Egami (Philadelphia, PA, USA)	17
Phase transformations in nanocrystalline alloys A. R. Yavari (St. Martin d'Hères, France)	20
Metastable metals for "green" materials for global atmosphere conservation and abundant energy supply. K. Hashimoto (Sendai, Japan)	27
Thermodynamic and kinetic requirements for inverse melting R. Bormann (Geesthacht, Germany)	31
Diffusion in amorphous metallic alloys W. Frank, A. Hörner, P. Scharwaechter and H. Kronmüller (Stuttgart, Germany)	36
Crystallization of metallic glasses A. L. Greer (Cambridge, UK)	41
Rapid solidification processing and microstructure formation. W. Kurz (Lausanne, Switzerland) and R. Trivedi (Ames, IA, USA)	46
Solidification reactions in undercooled alloys J. H. Perepezko (Madison, WI, USA)	52
Fabrication and novel properties of nanostructured Al base alloys A. Inoue (Sendai, Japan)	57
Magnetism of amorphous transition metals and alloys. Y. Kakehashi (Sapporo, Japan)	62
Applications of amorphous wire F. B. Humphrey (Boston, MA, USA)	66
Heat flow in spray-formed Al-4Cu P. S. Grant, P. P. Maher and B. Cantor (Oxford, UK)	72
<i>Keynote Lectures</i>	
Vitrification close to the Kauzmann point of eutectic Au-Pb-Sb alloys G. Klose and H.-J. Fecht (Berlin, Germany)	77
Formation and annihilation of defects governing flow and diffusion in amorphous metals F. Spaepen (Cambridge, MA, USA)	81
Diffusivity and viscosity during structural relaxation in metallic glasses A. van den Beukel and J. Sietsma (Delft, Netherlands)	86

Effect of melt temperature on the electrical resistivity and crystallization temperature of $\text{Al}_{91}\text{La}_5\text{Ni}_4$ and $\text{Al}_{91}\text{Ce}_5\text{Ni}_4$ amorphous alloys	91
V. Manov (Haifa, Israel), A. Rubshtein, A. Voronel (Tel-Aviv, Israel), P. Popel and A. Vereshagin (Ekaterinburg, Russian Federation)	
High resolution electron microscopy of medium-range order in amorphous alloys	97
Y. Hirotsu (Nagaoka, Japan)	
Some basic notions on nanostructured solids	102
J. Weissmüller (Saarbrücken, Germany)	
Nanostructured titanium aluminides	108
C. Suryanarayana and F. H. Froes (Moscow, ID, USA)	
Consolidation and mechanical properties of atomized Mg-based amorphous powders	112
A. Kato, T. Suganuma (Susono, Japan), H. Horikiri, Y. Kawamura, A. Inoue and T. Masumoto (Sendai, Japan)	
Electronic structure and transport properties in quasi-crystals	118
T. Fujiwara, G. Trambly de Laissardière and S. Yamamoto (Tokyo, Japan)	
Towards applications of quasicrystals	122
J.-M. Dubois, S. S. Kang and A. Perrot (Nancy, France)	
Magnetic properties and core losses of nanocrystalline Fe-M-B ($M \equiv \text{Zr, Hf or Nb}$) alloys	127
A. Makino, K. Suzuki (Nagaoka, Japan), A. Inoue and T. Masumoto (Sendai, Japan)	
Electronic structure and electron transport properties of Al-Cu-Y and Mg-Cu-Y amorphous alloys	132
U. Mizutani, H. Sugiura, Y. Yamada (Nagoya, Japan), Y. Sugiura and T. Matsuda (Aichi, Japan)	
Elastic properties of amorphous thin films studied using Rayleigh waves	137
R. B. Schwarz and J. B. Rubin (Los Alamos, NM, USA)	
Chemical reactivity of amorphous alloys	142
M. Janik-Czachor (Warsaw, Poland)	
Direct measurements of crystal growth velocities in undercooled melts	147
D. M. Herlach (Cologne, Germany)	
Structural and mechanical properties of fine composites prepared by Ti-Si ₃ N ₄ solid state reactions	153
T. Koga, M. Mizuno and M. Nagumo (Tokyo, Japan)	
Fine metallic and ceramic fibers by melt extraction	158
J. O. Ström-Olsen, G. Rudkowska, P. Rudkowski, M. Allahverdi and R. A. L. Drew (Montreal, Que., Canada)	
<i>Formation of Amorphous and Metastable Phases</i>	
Microstructural developments in rapidly solidified monotectic alloys	163
R. Goswami and K. Chattopadhyay (Bangalore, India)	
A study of the glass-forming range in the ternary Ti-Ni-Al system by mechanical alloying	168
R. Nagarajan and S. Ranganathan (Bangalore, India)	
Time-temperature-transformation diagram of a highly processable metallic glass	173
A. Peker and W. L. Johnson (Pasadena, CA, USA)	
Metastable b.c.c. phase formation in the Nb-Cr system	176
D. J. Thoma (Los Alamos, NM, USA), J. H. Perepezko (Madison, WI, USA), D. H. Plantz (New London, CT, USA) and R. B. Schwarz (Los Alamos, NM, USA)	
Differential thermal analysis of hydrogen-induced amorphization in C15 Laves compounds RCo_2	181
K. Mori, K. Aoki and T. Masumoto (Sendai, Japan)	
Temperature-dependent free energy of crystallization and viscosity of glassy materials	186
A. Pratap, A. Prasad, N. S. Saxena and M. P. Saksena (Jaipur, India)	
Metastable phases synthesized by ion beams and thermodynamic interpretation in binary metal systems	189
B. X. Liu and Z. J. Zhang (Beijing, China)	
Formation of metastable phases by the plating method	193
T. Watanabe (Tokyo, Japan)	

Microstructural development in rapidly solidified Ti-Ni alloys	198
R. Nagarajan (Bangalore, India), K. Aoki (Sendai, Japan) and K. Chattopadhyay (Bangalore, India)	
Formation of metastable $L1_2$ - Al_3Y through rapid solidification processing	205
J. C. Foley, J. H. Perepezko (Madison, WI, USA) and D. J. Skinner (Morristown, NJ, USA)	
Extremely wide supercooled liquid region and large glass-forming ability in $Zr_{65-x}Al_{7.5}Cu_{17.5}Ni_{10}Be_x$ amorphous alloys	210
A. Inoue, T. Zhang, N. Nishiyama, K. Ohba and T. Masumoto (Sendai, Japan)	
Structural evolutions of Ni-Ti systems caused by mechanical alloying in different atmospheres	215
K. Y. Wang, T. D. Shen, H. G. Jiang, M. X. Quan and W. D. Wei (Shenyang, China)	
Formation of amorphous Ti-Si powdered alloys and their shock consolidation	220
T. Yamasaki, Y. Ogino, K. Morishita (Hyogo, Japan), K. Fukuoka, T. Atou and Y. Syono (Sendai, Japan)	
Effects of ambient temperature and acceleration on various mechanical alloying products: Mg-Al-Zn quasicrystals, Ni-Zr amorphous alloys and amorphous Se	224
T. Takeuchi, T. Koyano, M. Utsumi, T. Fukunaga (Nagoya, Japan), K. Kaneko (Osaka, Japan) and U. Mizutani (Nagoya, Japan)	
Interfacial reactions in Ni/amorphous-Si multilayers	229
W. H. Wang, H. Y. Bai and W. K. Wang (Beijing, China)	
Interdiffusion in metal/amorphous Si multilayers	234
W. K. Wang, W. H. Wang and H. Y. Bai (Beijing, China)	
Prediction of amorphous formation in binary transition metal alloys	238
Y. Makino (Osaka, Japan)	
Rapid solidification of cobalt-titanium alloys induced by nanosecond laser pulses	243
S. Vitta (Bombay, India), A. L. Greer and R. E. Somekh (Cambridge, UK)	
Formation of metastable phases in a spray deposited 2024 aluminium alloy	249
G. Song, J. Shen, Z. Jiang and Q. Li (Harbin, China)	
<i>Stability and Phase Change</i>	
Glass transition behaviour of Zr- and Ti-based binary amorphous alloys	252
W.-N. Myung, H.-G. Kim (Kwang ju, South Korea) and T. Masumoto (Sendai, Japan)	
Atomistic computer simulation for liquid-glass transition in Zr-Ni alloy	256
T. Aihara, Jr., K. Aoki and T. Masumoto (Sendai, Japan)	
Dynamical and structural liquid-glass transition for metallic potassium	261
H. C. Chen and S. K. Lai (Chung-li, Taiwan)	
A comparison of the approach to equilibrium of the viscosity and diffusivity of Pd-Si-based amorphous metals	265
A. V. Wagner and F. Spaepen (Cambridge, MA, USA)	
The pressure effect on Au diffusion in amorphous $Pd_{40}Ni_{40}P_{20}$	270
P. A. Duine (Delft, Netherlands), S. K. Wonnell (Gif-sur-Yvette, France) and J. Sietsma (Delft, Netherlands)	
Effects of passing electric current on the structural relaxation and crystallization in amorphous alloys	275
R. Takemoto and H. Hizubayashi (Ibaraki, Japan)	
Reversible structural relaxation in Fe-B-Si amorphous alloys	279
Y. Takahara and H. Matsuda (Kitakyushu, Japan)	
Structural enthalpy relaxation in the glass transition range	283
B. Zappel and F. Sommer (Stuttgart, Germany)	
Modelling of non-equilibrium crystallization and transformation diagrams	288
N. Clavaguera (Barcelona, Spain) and M. T. Clavaguera-Mora (Bellaterra, Spain)	
Crystallization kinetics of an amorphous ferromagnet $Fe_{77.5}B_{15}Si_{7.5}$	293
N. Kunitomi (Hiroshima, Japan)	
Crystallization of co-sputtered amorphous cobalt-carbon alloys: morphology and kinetics of spherulitic growth	297
T. J. Konno and R. Sinclair (Stanford, CA, USA)	
Thermal properties and crystallization kinetics of new fluoride glasses	303
M. D. Baró, A. Otero, S. Suriñach (Bellaterra, Spain), A. Jha, S. Jordery (Uxbridge, UK), M. Poulain, A. Soufiane (Rennes, France), D. W. Hewak, E. R. Taylor and D. N. Payne (Southampton, UK)	

Heat treatment of melt-spun amorphous Fe-Si-B-Cu-Nb alloy	309
W. T. Kim, P. W. Jang, S. C. Yu (Chongju, South Korea) and B. S. Chun (Daejeon, South Korea)	
Study of the transformation of rapidly quenched $\text{Cr}_{40}\text{Ti}_{60}$	316
C. Beeli (Zürich, Switzerland), R. Lück (Stuttgart, Germany) and D. M. Herlach (Cologne, Germany)	
Atomic ordering and structure recovery of non-equilibrium mechanically ground alloy	320
T. Mizoguchi, K. Nakamura, H. Hasegawa and N. Tanaka (Tokyo, Japan)	
A precipitation study of two rapidly solidified Al-Fe alloys	323
G. Riontino (Turin, Italy) and A. Zanada (Novara, Italy)	
Decomposition of the supersaturated solid solution in a rapidly solidified hypereutectic Al-Cu alloy	327
S. C. Gill (Lausanne, Switzerland) and P. B. Prangnell (Manchester, UK)	
Diffusion of iron in $\text{Mg}_{60}\text{Ni}_{25}\text{Nd}_{15}$ amorphous alloys with a wide supercooled liquid region	334
H. Nakajima, Y. Honma, K. Nonaka, K. Shiozawa (Morioka, Japan), N. Nishiyama, A. Inoue and T. Masumoto (Sendai, Japan)	
Interdiffusion in amorphous $\text{Ni}_{65}\text{Ti}_{35}/\text{Ni}_{35}\text{Ti}_{65}$ bilayer film studied by Auger electron spectroscopy	337
S. M. Tadayyon, K. Noguchi and K. Tanaka (Nagoya, Japan)	
The relaxation of internal stresses during annealing of amorphous $\text{Fe}_{40}\text{Ni}_{40}\text{B}_{20}$	341
M. de Jong, J. Sietsma, M. Th. Rekvelde and A. van den Beukel (Delft, Netherlands)	
Zr-Y base amorphous alloys with two glass transitions and two supercooled liquid regions	346
A. Inoue, S. Chen and T. Masumoto (Sendai, Japan)	
Heat capacity of metallic glasses Fe-Ni-Zr, Co-Cr-Zr, Pd-Si and Ni-Si-B	351
T. Kanomata, H. Endo, M. Kuboki (Tagajo, Japan), H. Kimura, T. Kaneko and T. Masumoto (Sendai, Japan)	
Growth dynamics of fractal Ge clusters during crystallization of amorphous phase on polycrystalline Au layer	355
A. Sugawara, T. Kikukawa and O. Nittano (Tokyo, Japan)	
An exact model of d.c. joule heating in amorphous metallic ribbons	361
P. Allia, M. Baricco, M. Knobel, P. Tiberto and F. Vinai (Turin, Italy)	
Crystallization and thermal stability of amorphous Ti-B alloys	366
M. Naka, T. Okada and H. Mori (Osaka, Japan)	
Kinetic and thermodynamic aspects of crystallization in Cu-Ti-Ni and Cu-Ti-Al metallic glasses	371
W.-N. Myung (Kwang ju, South Korea), L. Battezzati, M. Baricco (Turin, Italy), K. Aoki, A. Inoue and T. Masumoto (Sendai, Japan)	
Dynamic temperature resistometry analysis of rapidly quenched $\text{Fe}_{86}\text{B}_{14}$ alloy and its correlated study by Mössbauer spectroscopy and scanning electron microscopy	376
A. Ashfaq, A. Shamim, S. A. Siddiqi (Lahore, Pakistan) and M. Arshed (Islamabad, Pakistan)	
Studies of crystallization of sputter-deposited $\text{Fe}_{82}\text{Si}_6\text{B}_{12}$ metallic glass film	382
H. G. Jiang, H. Y. Tong, K. Lu, B. Z. Ding, Q. H. Song and Z. Q. Hu (Shenyang, China)	
Observation of the crystallization of amorphous Fe-Cu-Si-B alloy by <i>in situ</i> transmission electron microscopy	386
X. D. Liu, K. Lu, B. Z. Ding and Z. Q. Hu (Shenyang, China)	
Ordering of chemically disordered Ni_3Al and Ni_3Ge prepared by mechanical alloying	390
K. Aoki, X.-M. Wang, A. Memezawa and T. Masumoto (Sendai, Japan)	
Rapid crystallization of amorphous Co-Zr and Fe-B close to eutectic compositions	396
H. E. Fischer, S. Brauer, A. Zaluska, M. Sutton (Montreal, Que., Canada), J. O. Ström-Olsen (Montreal, Que., Canada) and G. B. Stephenson (Yorktown Heights, NY, USA)	
Characteristics of microstructures of Ni-Au and Pd-Au alloy films prepared by an evaporation method	401
J. Yamanaka, Y. Nakamura and O. Nittano (Tokyo, Japan)	
Nitriding of $\text{Nd}_2\text{Fe}_{14}\text{B}$	408
S. Tsujikawa, P. Choi and H. Ino (Tokyo, Japan)	
An investigation on the microstructural stability of rapidly solidified Al-Fe-V-Si alloy ribbon	412
J.-Q. Wang, M.-K. Tseng, X.-F. Chen, B.-J. Zhang and Z. Xianyu (Shenyang, China)	
Heat treatment of rapidly solidified $\text{Fe}_{63}\text{Cr}_{18}\text{Ti}_4\text{B}_{15}$	416
I. T. H. Chang, K. Ishii and B. Cantor (Oxford, UK)	

The hydrogen-induced structural relaxation and crystallization observed in amorphous $\text{Cu}_{50}\text{Zr}_{50}$ and $\text{Cu}_{60}\text{Zr}_{40}$	422
H. Mizubayashi, M. Matsumoto, H. Itoh and S. Okuda (Ibaraki, Japan)	
Metal-contact-induced crystallization of semiconductors	426
T. J. Konno and R. Sinclair (Stanford, CA, USA)	
<i>Structural Characterization</i>	
On the determination of the structure of metallic glasses by reverse Monte Carlo simulation: comparison with hard sphere Monte Carlo results	433
L. Pusztai and O. Gereben (Budapest, Hungary)	
Molecular dynamics applied to a reverse Monte Carlo configuration for amorphous $\text{Ni}_{81}\text{B}_{19}$	438
B. J. Thijsse and J. Sietsma (Delft, Netherlands)	
Structural study of $\text{Zr}_{33}\text{Y}_{27}\text{Al}_{15}\text{Ni}_{25}$ amorphous alloys by anomalous X-ray scattering (AXS)	444
E. Matsubara, K. Sugiyama, A. H. Shinohara, Y. Waseda, A. Inoue, T. Zhang and T. Masumoto (Sendai, Japan)	
Atomic structure analysis of NdFe and NdCo amorphous films	448
S. Takayama and H. Iiyori (Kanagawa, Japan)	
Mechanically induced atomic disorder and phase transformation in intermetallic compounds	453
G.-F. Zhou and H. Bakker (Amsterdam, Netherlands)	
Small-angle neutron scattering studies of nanosized amorphous Si-Au alloys	458
A. Wiedenmann, A. Sturm and H. Wollenberger (Berlin, Germany)	
Evolution of medium-range order of $\text{Mg}_{0.5}\text{Ni}_{0.3}\text{La}_{0.2}$ metallic glass at a supercooled liquid temperature	464
M. Matsuura (Miyagi, Japan), T. Fukunaga and U. Mizutani (Nagoya, Japan)	
A fluorescence X-ray absorption fine structure study of the effect of small amounts of additives on the formation of the nanocrystalline phase from metallic glass	469
M. Sakurai (Sendai, Japan), M. Matsuura (Miyagi, Japan), S.-H. Kim (Sendai, Japan), Y. Yoshizawa, K. Yamauchi (Kumagaya, Japan) and K. Suzuki (Sendai, Japan)	
Short-range structure of amorphous and nanocrystalline Fe-Si-B-Cu-Nb alloys	473
N. Mattern, M. Müller, C. Stiller and A. Danzig (Dresden, Germany)	
Local atomic structural changes on structural relaxation in a $\text{Pd}_{82}\text{Si}_{18}$ amorphous alloy	479
K. Anazawa, T. Ohkubo and Y. Hirotsu (Nagaoka, Japan)	
Structural and magnetic properties of Fe-Ag granular material	483
S. A. Makhlof, K. Sumiyama, T. Kamiyama, K. Wakoh and K. Suzuki (Sendai, Japan)	
High-resolution electron microscopy study of microstructural changes in magnetic Fe-Nb-B films in the course of annealing . .	487
M. Nakamura, Y. Hirotsu, K. Anazawa, A. Makino (Nagaoka, Japan), A. Inoue and T. Masumoto (Sendai, Japan)	
<i>Nanocrystalline Materials</i>	
A universal model for solid state amorphization of nanosized and supersaturated crystals	491
H.-J. Fecht (Berlin, Germany)	
Microstructure of nanocrystalline b.c.c. Fe-M-B ($\text{M} \equiv \text{Nb, Hf}$) soft magnetic alloys	495
A. Makino, Y. Yamamoto, Y. Hirotsu (Nagaoka, Japan), A. Inoue and T. Masumoto (Sendai, Japan)	
The role of boron in nanocrystalline Fe-Zr-B soft magnetic alloys	501
K. Suzuki, A. Makino (Nagaoka, Japan), A.-P. Tsai, A. Inoue and T. Masumoto (Sendai, Japan)	
Crystallization of amorphous $\text{Al}_{85}\text{Y}_{10}\text{Ni}_5$ and $\text{Al}_{85}\text{Y}_5\text{Ni}_{10}$ alloys	506
J. Latuch, H. Matyja (Warsaw, Poland) and V. I. Fadeeva (Moscow, Russian Federation)	
Production of nanocrystalline b.c.c. Fe-Nb-B bulk alloys by warm extrusion and their magnetic properties	511
A. Kojima, H. Horikiri, Y. Kawamura (Sendai, Japan), A. Makino (Nagaoka, Japan), A. Inoue and T. Masumoto (Sendai, Japan)	
Structural and magnetic properties of nanocrystalline Fe-Si-B alloys produced by mechanical crystallization	516
R. Schulz, M. L. Trudeau (Varennes, Que., Canada), D. Dussault, A. Van Neste (Ste-Foy, Que., Canada) and L. Dignard-Bailey (Varennes, Que., Canada)	
Crystallization of Fe-Si-B-Ga-Nb amorphous alloy	521
T. Tomida (Amagasaki, Japan)	

Thermodynamic, kinetic and structural mechanisms controlling the formation of nanocrystalline Nd-Fe-B materials	526
J. A. Diego (Terrassa, Spain), M. T. Clavaguera-Mora (Bellaterra, Spain) and N. Clavaguera (Barcelona, Spain)	
Thermal stability of nanocrystalline nickel electrodeposits: differential scanning calorimetry, transmission electron microscopy and magnetic studies	531
Á. Cziráki, Zs. Tonkovics, I. Geröcs, B. Fogarassy, I. Groma, E. Tóth-Kádár, T. Tarnöczy and I. Bakonyi (Budapest, Hungary)	
Variation of the interfacial energy with grain size in nanocrystalline materials	536
K. Lu, R. Lück and B. Predel (Stuttgart, Germany)	
Variation in lattice parameters with grain size of a nanophase Ni ₃ P compound	541
M. L. Sui and K. Lu (Shenyang, China)	
Microstructural characterization of nanocomposite thin films of Ag-SiO ₂ , Ag-ZnO and Ag-Si	545
M. H. Lee, I. T. H. Chang, P. J. Dobson and B. Cantor (Oxford, UK)	
Microstructural change upon annealing Fe-Zr-B alloys with different boron contents	552
K. Y. Kim, T. H. Noh, I. K. Kang and T. Kang (Seoul, South Korea)	
Formation of nuclei of metastable phases in nanocrystalline materials.	557
I. Mat'ko, P. Duhaj, P. Švec and D. Janičkovič (Bratislava, Slovak Republic)	
Interfacial characterization of nanocrystalline alloys	563
Z. Q. Hu, X. D. Liu, K. Lu and B. Z. Ding (Shenyang, China)	
The kinetics of amorphous-nanocrystalline transformation for a Finemet alloy.	567
L. K. Varga, É. Bakos, L. F. Kiss and I. Bakonyi (Budapest, Hungary)	
Nanocrystalline phase formation in amorphous Fe _{73.5} Cu ₁ Nb ₃ Si _{13.5} B ₉ submitted to conventional annealing and Joule heating . . .	572
M. Baricco, C. Antonione, P. Allia, P. Tiberto and F. Vinai (Turin, Italy)	
The formation of nanostructured materials by consolidating ultrafine amorphous alloy particles prepared by chemical reduction . . .	577
J. Saida (Chiba, Japan), A. Inoue and T. Masumoto (Sendai, Japan)	
Ion irradiation induced grain growth in nanocrystalline Fe and Fe(Zr).	582
N. Karpe (Stockholm, Sweden), J. Böttiger, N. G. Chechenin and J. P. Krog (Aarhus, Denmark)	
Rapid solidification of Fe-Ni-Mo alloys	587
N. El-Mahallawy, M. Taha and H. Fredriksson (Stockholm, Sweden)	
<i>High Strength and Low Density Materials</i>	
High mechanical strength and strengthening mechanism of aluminum alloys with an ultrafine grain structure	592
K. Ohtera, K. Kita, H. Nagahama (Kurobe, Japan), A. Inoue and T. Masumoto (Sendai, Japan)	
New Al-based amorphous alloys with high mechanical strength in the Al-Ni-M and Al-Co-M (M = Mn, Fe, Co, Ni) systems . .	596
Y. Horio, A. Inoue and T. Masumoto (Sendai, Japan)	
Crystallization behaviour of Al-Sm amorphous alloys	600
L. Battezzati, M. Baricco (Turin, Italy), P. Schumacher, W. C. Shih and A. L. Greer (Cambridge, UK)	
Mechanical properties of a rapidly solidified Al-Si-Ni-Mn alloy	605
I. Johansen and H. J. Roven (Trondheim, Norway)	
Solid solution of Cu in (Al-Cu)-SiC _p metal matrix composites processed by spray atomization and codeposition.	609
J. A. Juárez-Islas (Morelos, Mexico), S. Su (Irvine, CA, USA), R. Perez, B. Campillo (Morelos, Mexico) and E. J. Lavernia (Irvine, CA, USA)	
Microstructural and mechanical evaluations of sprayed-deposited 7XXX Al-alloys after conventional consolidation.	614
J. A. Juárez-Islas, R. Perez (Morelos, Mexico), P. Lengsfeld and E. J. Lavernia (Irvine, CA, USA)	
Development of high temperature dispersion strengthening in rapidly quenched Al-Ti-X alloys	619
J. F. Nie, A. Majumdar and B. C. Muddle (Clayton, Vic., Australia)	
Thermal stability in a superplastic Si ₃ N _{4(p)} /Al-Mg composite	625
M. Mabuchi (Nagoya, Japan) and K. Higashi (Osaka, Japan)	
Easy glass formation in Mg ₆₄ Ni ₂₁ Nd ₁₅ by Bridgman solidification.	628
Y. Li, H. Y. Liu, H. A. Davies and H. Jones (Sheffield, UK)	
High specific strength of extruded Mg-Al-Ge alloys produced by rapid solidification processing.	632
T. Shibata, M. Kawanishi, J. Nagahora (Kawasaki, Japan), A. Inoue and T. Masumoto (Sendai, Japan)	

Structure and decomposition behaviour of rapidly solidified Mg-Nd-X (X = Al, Si) alloys	637
W. J. Park, H. Park, D. H. Kim and N. J. Kim (Pohang, South Korea)	
Kinetics of the crystallization of amorphous Ti-Ni and Ti-Ni-Si alloys	641
C. Seeger and P. L. Ryder (Bremen, Germany)	
Effects of thermomechanical processing on titanium aluminide strip cast by the melt overflow process	645
T. A. Gaspar, L. E. Hackman (Columbus, OH, USA), E. Batawi and J. A. Peters (Winterthur, Switzerland)	
Formation and mechanical properties of amorphous Al-Ni-Nd alloys	649
A. Inoue, T. Ochiai, Y. Horio and T. Masumoto (Sendai, Japan)	
The effect of Cu addition on the structure and mechanical properties of Al-Ni-M (M = Ce or Nd) amorphous alloys containing nanoscale f.c.c.-Al particles	654
A. Inoue, K. Nakazato, Y. Kawamura and T. Masumoto (Sendai, Japan)	
Formation of coexistent icosahedral and f.c.c.-Al phases in rapidly solidified Al-Ce-M-Si (M = transition metal) alloys and their mechanical strengths	659
M. Watanabe, M. Ito (Akita, Japan), H. Kimura, A. Inoue and T. Masumoto (Sendai, Japan)	
Microstructure of rapidly solidified Al-7.5Cu-2.5Fe	665
S. J. Andersen, Y. X. Guo, R. Høier and G. Waterloo (Trondheim, Norway)	
Microstructure and solidification analysis of melt-spun Al-Ti and Al-Ti-B alloys	669
M. G. Chu (Alcoa Center, PA, USA)	
Effects of the atmosphere on the mechanical alloying process of Al-25at.%Ti mixed powder.	676
S. Saji, H. Yasuda and T. Yamane (Suita, Japan)	
The aging characteristics of rapidly solidified high lithium Al-Li-Mg alloys.	681
D. M. J. Wilkes, Y. Li and H. Jones (Sheffield, UK)	
Structure and microhardness of rapidly solidified Al-Cr-RE (RE = La-rich misch metal) alloy	688
M. Guofa, Z. Songyan, J. Zuling and L. Qingchun (Harbin, China)	
Mechanical strength and thermal stability of Ti-based amorphous alloys with large glass-forming ability	692
K. Amiya, N. Nishiyama, A. Inoue and T. Masumoto (Sendai, Japan)	
Production of flaky Ti-based amorphous powder by a two-stage quenching technique and its thermal stability	697
N. Nishiyama (Sendai, Japan), M. Oguchi (Okaya, Japan), A. Inoue and T. Masumoto (Sendai, Japan)	
New Mg-based amorphous alloys in Mg-Y-misch metal systems	702
H. Horikiri, A. Kato, A. Inoue and T. Masumoto (Sendai, Japan)	
Microstructure and mechanical properties of bulk Mg ₇₀ Ca ₁₀ Al ₂₀ alloys produced by extrusion of atomized amorphous powders	707
A. Kato, H. Horikiri, A. Inoue and T. Masumoto (Sendai, Japan)	
Microstructure and strength of rapidly solidified magnesium alloys	712
H. Iwasaki, T. Mori, A. Tamura (Hyogo, Japan), K. Higashi and S. Tanimura (Osaka, Japan)	

